



API Flange Ball Valve
美标法兰球阀 150LB




API Flange Ball Valve
300LB 美标法兰球阀




Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!

GB Flange Ball Valve
国标法兰球阀 DN15-DN200



JIS Flange Ball Valve
20K 日标法兰球阀



API Flange Gate Valve
美标法兰闸阀 150LB

0517D-H07Z „Z1-„Z

MAIN PARTS AND MATERIALS

NO.	零件名称 PART NAME	材质 MATERIAL	NO.	零件名称 PART NAME	材质 MATERIAL
1	轴承压盖 Bearing gland	45#	10	螺栓 Stud	B7
2	阀杆螺母 Stem nut	QT400	11	阀杆 Stem	20Cr13
3	填料压盖 Gland	WCB	12	阀体 Body	WCB
4	螺母 Nut	2H	13	阀板 Disc	WCB
5	螺栓 Screw	B7	14	圆螺母 Round nut	45#
6	填料 Packing	Graphite	15	铭牌 Nameplates	Al
7	阀盖 Cap	WCB	16	手柄 Handwheel	QT400
8	密封垫 Aseal	304+Graphite	17	油杯 Oil cup	Brass
9	螺母 Nut	2H	18		

Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!

CONFIGURATION DIMENSION

- Applicable Standards
1. Design Rating: API600;
2. Face to Face: ASME B16.10;
3. Flanged Ends: ASME B16.5;
4. Inspection & Testing: API598.

NPS	D1	d	K	D	f	C	N-ØZ	L
12"	300	381	431.8	485	2	32.2	12-25.4	356
10"	250	323.8	362.0	405	2	30.6	12-25.4	330
8"	200	269.9	298.5	345	2	29.0	8-22.2	292
6"	150	215.9	241.3	280	2	25.9	8-22.2	267
5"	125	185.7	215.9	255	2	24.3	8-22.2	254
4"	100	157.2	190.5	230	2	24.3	8-19.1	229
3"	80	127	152.4	190	2	19.5	4-19.1	203
2 1/2"	65	104.8	139.7	180	2	17.9	4-19.1	190
2"	50	92.1	120.7	150	2	16.3	4-19.1	178


ASSEMBLY DRAWING

Gate Valve

2"-12" Z40H-CL150

API Flange Gate Valve
300LB 美标法兰闸阀

00C7D-H07Z "2"-2



MAIN PARTS AND MATERIALS

NO.	零件名称 PART NAME	材质 MATERIAL	NO.	零件名称 PART NAME	材质 MATERIAL
1	圆螺母 Round nut	45#	10	填料 Packing	Graphite
2	毡垫 Nameplates	Al	11	密封垫 Aseal	304+Graphite
3	手轮 Handwheel	QT400	12	螺母 Nut	2H
4	阀杆螺母 Stem nut	QT400	13	螺栓 Stud	B7
5	轴承压盖 Bearing gland	45#	14	阀盖 Cap	WCB
6	油杯 Oil cup	Brass	15	阀体 Body	WCB
7	填料压盖 Gland	WCB	16	阀杆 Stem	20Cr13
8	螺母 Nut	2H	17	阀板 Disc	WCB
9	螺栓 Screw	B7	18		

Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!

CONFIGURATION DIMENSION

NPS	D1	d	K	D	f	C	N-ØZ	L
12"	300	381.0	450.8	520	2	51.3	16-31.8	502
10"	250	323.8	387.4	445	2	48.1	16-28.6	457
8"	200	269.9	330.2	380	2	41.7	12-25.4	419
6"	150	215.9	269.9	320	2	37.0	12-22.2	403
5"	125	185.7	235.0	280	2	35.4	8-22.2	381
4"	100	157.2	200.0	255	2	32.2	8-22.2	305
3"	80	127.0	168.3	210	2	29.0	8-22.2	282
2 1/2"	65	104.8	149.2	190	2	25.9	8-22.2	241
2"	50	92.1	127.0	165	2	22.7	8-19.1	216

Applicable Standards

- 1. Design Rating: API600;
- 2. Face to Face: ASME B16.10;
- 3. Flanged Ends: ASME B16.5;
- 4. Inspection & Testing: API598.

ASSEMBLY DRAWING

Gate Valve

2"-12" Z40H-CL300

API Flange Globe valve
美标法兰截止阀 150LB

0517J-M17F "8"-2

MAIN PARTS AND MATERIALS

NO.	零件名称 PART NAME	材质 MATERIAL	NO.	零件名称 PART NAME	材质 MATERIAL
1	阀体Body	CF8/CF8M	10	手柄Handheel	Cast iron
2	阀瓣Disc	CF8/CF8M	11	螺母Nut	8(304)
3	阀瓣盖Disc cover	304/316	12	铭牌Nameplates	Al
4	阀杆Stem	304/316	13	螺母Nut	8(304)
5	阀盖Cap	CF8/CF8M	14	螺栓Screw	B8(304)
6	填料Packing	PTFE	15	密封垫 Aseal	PTFE
7	填料压盖Gland	CF8	16	螺母Nut	8(304)
8	阀杆螺母Stem nut	QT	17	螺栓Screw	B8(304)
9	螺钉Screw	8(304)	18		

Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!

Applicable Standards

1. Design Rating:BS1873;
2. Face to Face:ASME B16.10;
3. Flanged Ends:ASME B16.5;
4. Inspection&Testing:API598.


CONFIGURATION DIMENSION

DN	D1	d	K	D	f	C	N-ΦZ	L
8"	200	269.9	298.5	34.5	2	29.0	8-22	495
6"	150	215.9	241.3	28.0	2	25.9	8-22	406
5"	125	185.7	215.9	25.5	2	24.3	8-22	356
4"	100	157.2	190.5	23.0	2	24.3	8-19	292
3"	80	127	152.4	19.0	2	19.5	4-19	241
2 1/2"	65	104.8	139.7	18.0	2	17.9	4-19	216
2"	50	92.1	120.7	15.0	2	16.3	4-19	203

ASSEMBLY DRAWING


Globe Valve

2"-8" J41W-CL150



API Flange Globe valve
300LB 美标法兰截止阀

00C13-H17F "8"-2/11



- Applicable Standards
1. Design Rating: BS1873;
 2. Face to Face: ASME B16.10;
 3. Flanged Ends: ASME B16.5;
 4. Inspection & Testing: API 598.

Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!

NO.	零件名称 PART NAME	材质 MATERIAL	NO.	零件名称 PART NAME	材质 MATERIAL
1	阀体Body	WCB	10	螺钉Screw	B7
2	阀瓣Disc	A105	11	手柄Handwheel	Cast iron
3	对开阀环Half Ring	20Cr13	12	螺母Nut	2H
4	阀瓣盖Disc cover	45#(C.S)	13	铭牌Nameplates	Al
5	阀杆Stem	20Cr13	14	螺母Nut	2H
6	阀盖Cap	WCB	15	螺栓Screw	B7
7	填料Packing	Graphite	16	密封垫Aseal	304+Graphite
8	填料压盖Gland	WCB	17	螺母Nut	2H
9	阀杆螺母Stem nut	QT	18	螺栓Screw	B7

MAIN PARTS AND MATERIALS

CONFIGURATION DIMENSION

DN	D1	d	K	D	f	C	N-ØZ	L
8"	200	269.9	330.2	380	2	41.7	12-25	559
6"	150	215.9	269.9	320	2	37.0	12-22	444
5"	125	185.7	235.0	280	2	35.4	8-22	400
4"	100	157.2	200.0	255	2	32.2	8-22	356
3"	80	127.0	168.3	210	2	29.0	8-22	318
2 1/2"	65	104.8	149.2	190	2	25.9	8-22	292
2"	50	92.1	127.0	165	2	22.7	8-19	267
1 1/2"	40	73.0	114.3	155	2	21.1	4-22	229

ASSEMBLY DRAWING

Globe Valve

1 1/2"-8" J41H-CL300


JIS Flange Globe valve
日标法兰截止阀 10K

K01-M17F V002-V05

MAIN PARTS AND MATERIALS

NO.	零件名称 PART NAME	材质 MATERIAL	NO.	零件名称 PART NAME	材质 MATERIAL
1	阀体Body	CF8/CF8M	10	手柄Handwheel	QT400-18
2	阀瓣Disc	CF8/CF8M	11	螺母Nut	304
3	阀瓣盖Disc cover	304/316	12	铭牌Nameplates	Al
4	阀杆Stem	304/316	13	螺母Nut	304
5	阀盖Cap	CF8/CF8M	14	螺栓Screw	304
6	填料Packing	PTFE	15	密封垫 Asael	PTFE
7	填料压盖Gland	CF8	16	螺母Nut	304
8	阀杆螺母Stem nut	QT400	17	螺栓Screw	304
9	螺钉Screw	304	18		

Note: This diagram expressing only component material details and dimensions;
Other shipment please prevail in kind !!!



CONFIGURATION DIMENSION

DN	D1	d	K	D	f	C	N-φZ	L
200A	200	262	290	330	2	22	12-23	495
150A	150	212	240	280	2	22	8-23	406
125A	125	182	210	250	2	20	8-23	356
100A	100	151	175	210	2	18	8-19	292
80A	80	126	150	185	2	18	8-19	241
65A	65	116	140	175	2	18	4-19	216
50A	50	96	120	155	2	16	4-19	203

ASSEMBLY DRAWING

Globe Valve

50A-200A J41W-10K

API Flange Check valve
150LB 美标法兰止回阀

